L Number	Hits	Search Text	DB	Time stamp
-	3920	(717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:38
-	23540	((code or data or variable$1) near4 (compress$4 or compact$4)) and (compil$4 or translat$4 or link$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:41
-	622	((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (((code or data or variable$1) near4 (compress$4 or compact$4)) and (compil$4 or translat$4 or link$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:50
-	189	(encod$4 or compact$4) near3 ((symbol$1 or variable$1) adj3 (name$1 or identif$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:43
-	17161	(((code or data or variable$1) near4 (compress$4 or compact$4)) and (compil$4 or translat$4 or link$4)) and (@ad<=19991105 or @rlfd<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 12:19
-	3114	((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:52
-	482	((((code or data or variable$1) near4 (compress$4 or compact$4)) and (compil$4 or translat$4 or link$4)) and (@ad<=19991105 or @rlfd<=19991105)) and (((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 17:55
-	519	(symbol$1 or variable$1) near4 ((encoded or compressed or compacted or reduced) adj4 (format or size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 08:55
-	4	(((((code or data or variable$1) near4 (compress$4 or compact$4)) and (compil$4 or translat$4 or link$4)) and (@ad<=19991105 or @rlfd<=19991105)) and (((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105))) and ((symbol$1 or variable$1) near4 ((encoded or compressed or compacted or reduced) adj4 (format or size)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 18:21
-	187	((encod$4 adj3 (names or symbol$1))) and (compil$7 same code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 12:20
-	3	(pars$4 same (encod$4 adj3 (names or symbol$1))) and (compil$7 same ((source adj2 file) or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 18:27

√

√

-	25	((((encod$4 adj3 (names or symbol$1))) and (compil$7 same code)) and ((((code or data or variable$1) near4 (compress$4 or compact$4)) and (compil$4 or translat$4 or link$4)) and (@ad<=19991105 or @rlfd<=19991105))) or ((((encod$4 adj3 (names or symbol$1))) and (compil$7 same code)) and (((717/140-143,151-161,162-166; 709/246-247; 707/101; 708/200-203).CCLS.) and (@ad<=19991105 or @rlfd<=19991105)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 18:54
-	10	(encod$4 near4 ((text adj2 string) or (symbol adj2 name$1))) and ((reduc$4 or optimi$7) near4 (storage or size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 18:58
-	101	(RLE or "run length encoding") and (compiler$1 or linker$1 or (optimi$7 same compil$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 08:54
-	520	(symbol$1 or variable$1) near4 ((encoded or compressed or compacted or reduced) adj4 (format or size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:59
-	1106	((data or variable$1 or symbol$1) near4 (compaction or compression or encod$4)) and (compiler$1 same (code or translat$4 or link$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 10:11
-	168	(((data or variable$1 or symbol$1) near4 (compaction or compression or encod$4)) and (compiler$1 same (code or translat$4 or link$4))) and ((differential adj3 encod$4) or (length near4 encod$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:34
-	8033	((non-different$5 and different$4) or ((full or differential) adj2 length)) near4 encod$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 12:19
-	17163	(((code or data or variable$1) near4 (compress$4 or compact$4)) and (compil$4 or translat$4 or link$4)) and (@ad<=19991105 or @rlfd<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 12:20
-	13	((differential adj3 encod$4) and (compil$5 same symbols))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 13:32
-	7	((US-5551020-$ or US-4931928-$ or US-5930508-$ or US-6240409-$ or US-6055273-$ or US-5969647-$ or US-5874907-$ or US-5768592-$ or US-5659753-$ or US-5511159-$ or US-5291583-$ or US-4567464-$ or US-5182709-$ or US-6163811-$ or US-6023761-$ or US-5986707-$ or US-6463521-$ or US-6457173-$ or US-6356950-$ or US-6021275-$ or US-5812850-$ or US-5764987-$ or US-5613117-$ or US-6442680-$ or US-6145069-$ or US-5629770-$).did. or (US-20010013093-$).did.) and (((variable$1 or symbol$1) near3 length) same encod$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:08
-	172	compiler$1 and ((encrypt$5 same decrypt$5) near8 (symbol$1 or data or variable$1 or operand$1 or instruction$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:59

–	500	compiler$1 and ((encod$5 same decod$5) near8 (symbol$1 or data or variable$1 or operand$1 or instruction$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:34
–	175	((compiler$1 and ((encrypt$5 same decrypt$5) near8 (symbol$1 or data or variable$1 or operand$1 or instruction$1))) or (compiler$1 and ((encod$5 same decod$5) near8 (symbol$1 or data or variable$1 or operand$1 or instruction$1)))) and ((differential adj3 encod$4) or (length near4 encod$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:35
–	112	(((compiler$1 and ((encrypt$5 same decrypt$5) near8 (symbol$1 or data or variable$1 or operand$1 or instruction$1))) or (compiler$1 and ((encod$5 same decod$5) near8 (symbol$1 or data or variable$1 or operand$1 or instruction$1)))) and ((differential adj3 encod$4) or (length near4 encod$4))) and (@ad<=19991105 or @rlfd<=19991105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 14:35
–	19	((((compiler$1 and ((encrypt$5 same decrypt$5) near8 (symbol$1 or data or variable$1 or operand$1 or instruction$1))) or (compiler$1 and ((encod$5 same decod$5) near8 (symbol$1 or data or variable$1 or operand$1 or instruction$1)))) and ((differential adj3 encod$4) or (length near4 encod$4))) and (@ad<=19991105 or @rlfd<=19991105)) and (object-oriented or container$1 or (name adj space))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 15:01
–	4	((delta near5 encod$4) same (symbol$1 or data)) and (compiler$1 and object-oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:03
–	4	(compress$5 near4 (object adj3 file)) same compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:58
–	9	(compress$5 adj3 (algorithm or information)) near4 (object near5 file$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:42
–	12	(encod$4 adj3 (variable$1 or symbol$1)) and (extended adj2 format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/14 10:24
–	100	(encod$4 adj3 (variable$1 or symbol$1 or data)) and (extended adj2 format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/14 10:27
–	14	(Huffman adj3 encoding) and (percent near6 compression)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/14 15:31
–	16	(delta near3 encod$5) and ((percent or "%") near4 (size or compression))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/14 15:32